

CLAIMS

What is claimed is:

- 5 1. An image storage method comprising:
receiving a first image;
printing a likeness of said first image on a media; and
placing an encoded representation of said first image on said media.
- 10 2. The method of claim 1, wherein said encoded representation of said first image comprises a computer-readable representation of said first image.
3. The method of claim 1, further including creating said encoded representation of said first image.
- 15 4. The method of claim 1, further including receiving a picture of said first image.
5. The method of claim 1, wherein said receiving said first image comprises
20 receiving a computer-readable image.
6. The method of claim 1, wherein said receiving said first image comprises receiving a computer-generated image.
- 25 7. The method of claim 1, wherein said printing said likeness of said first image comprises printing a picture of said first image on said media.
8. The method of claim 1, wherein said placing said encoded representation of said first image on said media comprises placing said encoded representation of
30 said first image in a computer-readable storage on said media.
9. The method of claim 8, wherein said computer-readable storage comprises a magnetic memory.
- 35 10. The method of claim 8, wherein said computer-readable storage comprises a nonvolatile semiconductor memory.

11. The method of claim 8, wherein said computer-readable storage comprises an optically-readable code.
12. The method of claim 8, wherein said computer-readable storage comprises
5 a laser-readable memory.
13. The method of claim 12, wherein said polycarbon memory comprises mylar.
- 10 14. The method of claim 1, wherein said placing said encoded representation of said first image on said media comprises attaching said encoded representation of said first image to said media.
15. An image storage method comprising:
15 receiving a first media comprising an encoded representation of an image; and
replicating a likeness of said image on a second media, said replicating based on said encoded representation of said image. 2
- 20 16. The method of claim 15, wherein said first media includes a picture of said encoded representation of said image.
17. The method of claim 15, further including placing a copy of said encoded representation of said image on said second media.
- 25 18. The method of claim 15, wherein said likeness of said image comprises a picture of said image.
19. An image storage media comprising:
30 a first surface adapted for displaying a likeness of an image; and
a second surface configured for storing an encoded representation of said image, said first and second surfaces being in communication with each other. 3
- 35 20. The image storage media of claim 19, wherein said second surface comprises computer-readable memory for storing said encoded representation of said image.

21. The image storage media of claim 19, wherein said second surface comprises a laser-readable memory for storing said encoded representation of said image.

5 22. The image storage media of claim 19, wherein said second surface comprises an optically-readable memory for storing said encoded representation of said image.

10 23. The image storage media of media 19, wherein said second surface comprises a computer-readable memory chip for storing said encoded representation of said image.

15 24. The image storage of media of claim 19, wherein said laser-readable polycarbon memory comprises mylar.

20 25. An image processing system comprising:
means for receiving a first image;
means for printing a likeness of said first image on a media; and
means for storing an encoded representation of said first image on said media.

26. The image processing system of claim 25, further including means for creating said encoded representation of said first image.

25 27. The image processing system of claim 25, wherein said first image is a digital representation of a picture.

30 28. The image processing system of claim 25, wherein said first image is a photographic image of a picture.

29. The image processing system of claim 25, wherein said encoded representation of said first image includes a computer-readable representation of said first image.

35 30. The image processing system of claim 25, further including means for reading said encoded representation of said first image.